# Republic of the Philippines Province of Oriental Mindoro MUNICIPALITY OF PINAMALAYAN

#### OFFICE OF THE BIDS AND AWARDS COMMITTEE

## Invitation to Bid ITB-2021-94

1. The Municipal Government of Pinamalayan, Oriental Mindoro, through the authorized appropriations under the General Fund intend to apply the sum of Four Hundred Forty Thousand Pesos Only (440,000.00) being the Approved Budget for the Contract (ABC) for the Project "Procurement of Technical and Scientific Equipment for Office of the Municipal Mayor.

Attachment Annex A for Technical Specification shall from part of ITB 2021-94

Bids received in excess of the ABC shall be automatically rejected at bid opening.

- 2. Bidders should have completed within the last three (3) years from the date of submission and receipt of bids at least one (1) contract similar to the Project and whose value must be at least fifty percent (50%) of the Approved Budget for the Contract (ABC). The description of an eligible bidder is contained in the Bidding Documents, particularly in Section 5, Instruction to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using non-discretionary pass/fail criterion as specified in the Implementing Rules and Regulations (IRR) of Republic Act 9184 (R.A. 9184), otherwise known as the "Government Procurement Reform Act".
- 4. Bid Documents may be purchased by interested Bidders from the address below and upon payment of a non-refundable fee amounting to Php **750.00** for the Bidding Documents.

The Invitation to Bid and Bidding Documents may be downloaded from the website of the Philippine Government Electronic System (PhilGEPS) and municipal government website (<a href="www.pinamalayan.gov.ph">www.pinamalayan.gov.ph</a>)

5. The schedule of bidding activities shall be as follows:

Activities	Schedule	Venue
Sale and Issuance of Bid Documents	October 1, 2021- October 12, 2021	BAC Office
Pre Bid Conference		
Submission of Bids	October 12, 2020 at 8:00- 5:00 o'clock in the afternoon	BAC Office
Opening of Bids	October 13, 2021 at 9:00 o'clock in the morning	BAC Office

Pre Bid Conference is open to all interested bidders. For purposes of having a legal personality to raise or submit written queries or clarifications in the Pre-Bid Conference relative to the bid project, bidders must pay the non-refundable fee for the Bidding Documents on or before the date of the Pre-Bid Conference.

For the Pre-Bid Conference, bidders are encouraged to send their authorized technical representatives or personnel, who are familiar with the bid requirements and will prepare the documents for the bidder

- 6. The eligibility requirements and bid proposal documents must be sequentially compiled in accordance with the checklist with index table and table of contents for easy document review.
- 7. The Municipal Government of Pinamalayan reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders. The Municipal Government of Pinamalayan likewise assumes no obligation whatsoever to compensate or indemnify any bidder or winning bidders, as the case may be, for any expenses or loss that said party(ies) may incur in its participation in the pre-bidding and bidding process nor does it guarantee that an award will be made.

For further information, please refer to:

#### ENRIQUE N. MOCLING

BAC Secretariat Madrid Blvd. Pinamalayan Oriental Mindoro

Telephone #: 284-4517

Email Address: bacpinamalayan@yahoo.com

Approved by

CARLITO M. MEJICO, CPA, REB

Municipal Assessor BAC Chairman

Date of Publication:

Posted Philgeps:

Newspaper: not applicable

Agency Website: October 1, 2021-October 13, 2021

Posted 3 conspicuous places:

- I. Mun. Hall Bulletin Board Lobby October 1, 2021-October 13, 2021
- 2. DILG/ABC Amouncement Wall October 1, 2021-October 13, 2021
- 3. Pinamalayan Public Market October 1, 2021-October 13, 2021

### Annex A

# Technical Specification

Item/ ot No.	Item Description	Quantity	Unit
1 1	HD Camera  Body type: Tangefinder-style mirrorless  Max resolution: 6000x4000  Effective pixels: 24 megapixel  Sensor size: APS-C (23.5x15.6mm)  Sensor Type: CMOS  ISO: Auto, 10-256000 (expandable)  Focal length mult: 1.5x  Articulated LCD: Tilting  Screen Size: 3 inches  Screen dot: 921,6000  Max shutter speed: 1/4000sec  Format: MPEG-4, AVCHD, XAVC S  Storage: SD/SDHC/SDXC+Mem Stick pro  USB: usb 2.0 (480 mbit/Sec)  Weight 453 g (1.00lb/15.98oz)  Dimensions 120x67x53mm  (4.72x2.64x2.09 inc)  AF fastest@0.05sec)AF w/425  phase-detection AF points  Processing: BIONZ X image  processing engine  Lense: E18-135mm F3.5-5.6 OSS	1	Unit
2	New Image Sensor Video: 5K30, 4k60, 2.7k120, 1440p120,1080p240 Photo: 20MP 1.4in front coloured display 2.27in rear touch display with touch zoom 30% extra battery life removable rechargeable battery HyperSmooth 3.0 in-camera horizon leveling TimeWarp 3.0 ft. Real Speed and Half Speed 1080p Live streaming 1080p Webcam mode Power Tools: Hindsight, LiveBurst, Scheduled Capture Duration Capture RAW+Super Photo + HDR Night Lapase Video Voice control with advanced wind-noise reduction 3 microphones with advance wind- noise reduction Stereo+RAW audio with 8.3x4.1x8cm casing Optical tempered glass+316 stainless button weight 118g; color: transparent waterproof, dustproof,drop-proof,	1	Unit

with travel kit: 49cmx220cm; 5kg max load; carbon fiber bar can be used as monopad; standx1; bagx1 3 **Drone** 1 Sensor: 1"CMOS Effective pixels: 20 millions Lens: FOV about 77° 35mm format equivalent: 28mm 100-6400 Photo: 100-3200(auto), 100-12800(manual) Shutter speed: electric shutter: 8-1/8000s Still image size: 5472 x 3648 Still photography modes: single shot Burst shooting: 3/5 frames Auto exposure bracketing (AEB): 3/5 bracketed frames at 0.7 EV bias Interval(JPEG:2/3/5/7/10/15/20/30/60s RAWS:5/7/10/15/20/30/60s Video resolution: 4k: 3840x2160 24/25/30p 2.7K: 2688x1512 24/25/30/48/50/60p FHD: 1920x1080 24/25/30/48/50/60/120p Max video bitrate: 100Mbps Color mode: Dlog-M(10bit), support HDR video (HLG 10bit) Supported file system: FAT32 (≤ 32BG), exFAT (>32 GB) Photo format: JPEG/ DNG (RAW) Vedio format:MP4/ MOV (MPEG-4 AVC/H.264,HEVC/H.265) **AIRCRAFT** takeoffweight: 907q folded dimension: 214x91x84mm (LxWxH) 322x242x84mm unfolded: (LxWxH) max ascent speed: 5m/s (s-mode), 4m/s (P-mode) max speed (near sea level,no wind): 72kph (S-mode) operating frequency: 2.400- 2.483 GHz, 5.725-5.850 GHz Internal storage: 8GB Charger 100-240V, 50/60 Input: Hz, 1.8A Output: main 17.6 V-3.41A or 17.0V-3.53 A USB:V-2A 17.6±0.1V Voltage: APP latency (depending on environmental

conditions and mobile device):

max live view bitrate: 12 Mbps

120 - 130 ms

Unit

	CAMERA STABILIZER	1	unit
	Gimbal weight		
l	batteries included :1.05kg		
	Payload		
	maximum:3.2kg		
	Dimension		
	storage dimension: 230*330*90*		
	extended dimension: 240*170*390		
	Camera tray		
	Dimension(mm): roll to release center		
	(120)		
	Release center to tilt to (75)		
1	Working current: 200 (mA)		
	Battery life (H)		
	Mechanical		
	End point range (°) :pan axis/R/T 360° continuous rotation		
	Controlled endpoint range (°): roll axis - smart wheel and joystick:		
-	±45°;FpV: 360°		
	, .		
	Operation Temperature (°): highest 50		
	Connections		-
1	bluetooth 4.2 BLE		]
	2.4G (2440MHZ)		}
	Mini USB 10Pin * 1		
	USB-C		
	Input power		
	type :18650-2S Li-ion		
1	capacity :3000mAh, 21.6Wh		į
	voltage: 7.2V	}	
Ì	charging time: 1.5 hours		THE COLUMN TO TH
	quick charge: support	<b>STATE</b>	
	quick charge voltage (v) :5V 2A, 9V 2S		
	(max)		
- 1			

4	CAMERA STABILIZER Gimbal weight	1	unit
	batteries included :1.05kg		
	Payload		:
	maximum:3.2kg		
	Dimension		
	storage dimension: 230*330*90*		
	extended dimension: 240*170*390		
	Camera tray		
	Dimension(mm): roll to release center		
	(120)		
	Release center to tilt to (75)		
	Working current: 200 (mA)		
	Battery life (H)		
	Mechanical		
	End point range (°):pan axis/R/T 360°		
	continuous rotation		
	Controlled endpoint range (°): roll axis		
	- smart wheel and joystick:		
	±45°;FpV: 360°		
	Operation Temperature (°): highest 50		
	Connections		
	bluetooth 4.2 BLE		
	2.4G (2440MHZ)		
	Mini USB 10Pin * 1		
	USB-C		
	Input power		
	type:18650-2S Li-ion		
	capacity :3000mAh, 21.6Wh		
	voltage: 7.2V		
	charging time: 1.5 hours		
	quick charge: support quick charge voltage (v) :5V 2A, 9V 2S		
	(max)		
	(IIIaA)		
		ı	